# **STANDARD**INCLUSIONS

- EXTERNAL
- INTERNAL
- KITCHEN & APPLIANCES
- BATHROOM, ENSUITE & LAUNDRY
- ELECTRICAL
- SITE WORKS & STRUCTURAL





#### **EXTERNAL**








#### Wilderness Design








#### **ALUMINIUM DOORS & WINDOWS COLOUR**






- 1. Brick veneer throughout the ground floor external walls.
- 2. Lightweight cladding to the first-floor external walls.
- 3. Cement render finish to the façade pillars / 20 m².
- 4. Colourbond fascia and gutter.
- 5. Panel lift garage door with 2 x automatic garage remotes
- 6. 90mm round PVC downpipes connected to either storm water line or rainwater tank
- 7. Roof sarking under battens
- 8. Concrete roof tiles from standard range
- 9. Stain or painted 920mm wide timber entry door with tri lock entrance set
- 10. Residential range aluminium sliding windows as per the plans
- 11. Residential range aluminium sliding doors at 2040mm high x 1800mm wide to alfresco only.
- 12. Obscure glazing to bathrooms, ensuite & powder rooms
- Concrete Driveway dwelling boundary as per final working drawings
- 14. Concrete finish to the porch & alfresco.

#### **INTERNAL**


























- 2040mm high internal HC doors 1.
- Lever set handles to all bedrooms and bathrooms internal 2. doors
- 67mm pre-primed half splay MDF skirtings and architrave's 3.
- 90mm cove cornice finish to entire ground and first Floor 4. internal areas.
- R2.0 glass wool wall insulation batts to external walls excluding 5. garage walls.
- R3.0 glass wool ceiling insulation batts to internal areas roof 6. ceiling.
- 7. MDF staircase (For double story house) with timber handrail & wrought iron look metal balusters
- Tile floor finishes to the wet area 8.
- 9. Quality laminated flooring to the common area including bedrooms other than wet areas
- Built in robes including laminate shelves and hanging rod with 10. 2040mm high-mirrored sliding doors
- 11. Walk in robes including laminate shelves and hanging rod with square set opening
- 4 x melamine shelves to linen cupboard including hollow core 12. doors
- 13. Provide 3 coats paint (Including under coat) to internal walls.

## KITCHEN & APPLIANCES



















- Polyurethane finish kitchen floor & overhead cupboards length without exceeding 9 m.
- 2 20mm edge stone to kitchen benchtop as per plan.
- 3 Kitchen island benchtop with 20mm thick stone as per the plan.
- 1 x top cutlery drawers
- 5 Westinghouse or equivalent 900mm stainless steel cooktop
- 6 Westinghouse or equivalent 600mm oven
- Westinghouse or equivalent 900mm rangehood
- 8 1 x Double bowl top mount sink with sink mixer
- 9 Window / tile splash back to kitchen as per plans provided
- 10 Soft close function to all the kitchen drawers and cupboards.
- 11 Window to the kitchen external walls per plan.
- 4 x melamine shelving with standard cavity door to WIP as per floor plan

# **BATHROOM, ENSUITE & LAUNDRY**





























- 1 Semi frameless shower screen to bathrooms and ensuite
- 2 Standard toilet to bathrooms and ensuite as per the plan.
- 3 Laminate vanity to bathrooms and ensuite.
- 4 High polished edge mirror to match vanity width to each bathroom and ensuite
- 5 Chrome finish accessories –single towel rail, toilet paper holder to each bathroom and ensuite
- 6 Freestanding bathtub up to 1700mm long to main bathroom only
- 7 Shower head and mixer to each shower
- 8 Vanity mixers tap to each vanity
- 9 Exhaust fan to non-ventilated wet areas.
- 10 Shower mixer set to main bathrooms and ensuite only.
- 11 Stainless steel floor wastes to bathrooms, ensuite and laundry
- Floor tiles to bathrooms, ensuite, WC and laundry.
- 13 Skirting tiles to the wet areas with 2.1 m wall height tiling in the shower areas only
- 14 45L laundry tub and laundry sink mixer

# **ELECTRICAL**



















- 1 20 x DGPOs throughout the house
- 2 GPOs to all the appliances.
- 3 1 x Weatherproof GPO to alfresco.
- 4 1 x Electrical switch board to external wall.
- 5 30 x Downlights
- 6 2 x TV, 2 x Data &1 x Phone points.
- 7 Smoke detectors as per AS.
- 8 2 x External light points only to client's nominated locations
- 9 NBN conduit from the boundary to the house.
- 10 2 x Zone ducted air conditioner
- 11 Standard outlets as per the plans
- 12 1 x Outdoor unit located as per the plans
- 13 1 x Wall mounted gas instantaneous hot water

## SITE WORKS & STRUCTURAL



















- 3 Termite treatment to BCA Standards to external perimeter of ground floor slab
- 4 6 years structural warranty & 90 days defect liability period
- 5 Homeowners Warranty (HOW) Insurance
- 6 Provide equal cut & Fill (Up to 500mm).
- 7 Pour/lay M class ground floor slab
- 8 Pour/lay concrete piers (50 LM included in builder's cost)
- 9 Provide gas feed, including gas bayonet to kitchen and alfresco



- 11 Up to 3000L slimline rainwater tank to comply with standard BASIX requirements
- Treated timber / steel frame and trusses designed to suit an N2 wind classification
- 13 Timber / steel stud partition walls to 1st and 2nd floor
- 14 Pitched roof
- 15 Ground floor ceiling height to be 2700mm.
- First floor ceiling height to be 2450mm















- **C** 02 9679 9777
- admin@caliberbuilders.com.au
- **PO Box 267 Plumpton NSW 2761**
- www.caliberbuilders.com.au